

Reg. No: 001143
Issue: 1
Doc. Date: 10.2011
English Version

SEQUESTON RO 5000-FP

GENERAL DESCRIPTION

SEQUESTON RO 5000-FP is a concentrated scale inhibitor. It is mainly used for reverse osmosis (RO), nanofiltration (NF) and ultrafiltration (UF) system. It is free from phosphate or phosphorous.

Product Benefits:

1. It is formulated in concentrated form, to save transportation cost and reduce storage place.
2. Inhibiting scale formation from inorganic salts, heavy metals and some organic matters.
3. Effective in controlling of iron, aluminium and heavy metals.
4. Does not flocculate dissolved iron, aluminium oxide or silica complexes.
5. Stable in extreme pH and temperature conditions.
6. Good stability and solubility.
7. Due to SEQUESTON RO 5000-FP has special chemical structure, it is save to membrane. Although with a high input dosage of chemical into the filtration system, it will not harm to membrane or cause membrane blockage because the chemical will not lead to deposition, crystallization or adsorption on the membrane surface.

SPECIFICATIONS

<u>Specifications</u>	<u>Typical Values</u>
Appearance	Colourless clear liquid
pH (1% water solution)	2.5 ± 0.6
Density at 20 °C, g/cm ³	1.20 ±0.06

APPLICATIONS

The optimal chemical dosage is 3ppm and it can be mixed with RO outflow water or desalted water. The more dosage chemical may be is needed depend on the water quality.

PACKING

250kg per drum

TRANSPORT INFORMATION

UN No.3265, Class 8 PG III

The above information is, to the best of our knowledge, true and accurate, but any recommendations or suggestions which may be made are without guarantee, since the conditions of use are beyond our control.

WaterChem Pte Ltd

48 Toh Guan Road East, #02-149 Enterprise Hub, Singapore 608586
Tel: +65 6465 3268 Fax: +65 6465 3269
Email: ronaldau@waterchem.sg
www.waterchem.sg